



Muro Ultra High Brightness Displays

www.lamasatech.com

in f X



Sunlight readable displays with outstanding visibility

Full HD resolution

Your content will be striking and vivid, thanks to the full HD resolution display and 1200:1 contrast ratio.

Brightness sensor

The integrated brightness sensor automatically adapts the screen brightness according to the conditions for an optimal viewing experience.

High brightness

Commercial-grade ultra high brightness 3500 cd/m² panels ensure content is easily readable in bright sunlight. Or choose our high brightness 1000 cd/m² option in the 75" model.

Super slim bezel

The narrow frame around the display gives your content maximum impact on your audience and provides a modern look and feel.



55"/75" screen size options

Choose the perfect display size according to the needs of your environment

Plug and play

Get up and running quickly by loading your content via USB stick or run your digital signage application on the built-in Android media player.

Control your displays remotely

Pair your displays with PeakSignage, our cloud-based digital signage system to manage and update your content remotely

3-year warranty

Built to last, the displays have a 3-year warranty included for your peace of mind

Specifications

Model	Muro Ultra High Brightness Window Display	
Display	Screen size	55" TFT LED 75" TFT LED
	Display resolution	55" = 1920 x 1080 75" = 3840 x 2160
	Viewing angles	55" = 178°V/178°H 75" = 178°V/178°H
	Colour depth	16.7M
	Contrast ratio	1200:1
	Brightness	55" = 3500 cd/m2 , 75" = 3000 cd/m2 1000 cd/m2 option available in 75"
	Display scale	16:9
	Response time	6ms
	Operating system	Android 11
	Media format	Video - MP4, AVI, RM/RMVB, MKS, TS, FLV, VOB, MOV, WMV Image - BMP, JPEG, PNG, GIF
Functions	Interface	RJ45, Wi-Fi
	Built-in speakers	Mini dual speakers
Other	Input voltage	AC 100V ~ 240V, 50/60HZ
	Power consumption	55" = <240W , 75"= <450W <400W for 1000 cd/m2 model
	Operating temperature	-10°C ~ 50°C
	Storage temperature	-20°C ~ 60°C

Operation humidity	10 ~ 90%
Storage humidity	10 ~ 90%
Lifespan	50,000 hours plus
Net weight	55" = 23kg, 75" = 45kg
Gross weight	55" = 36kg, 75" = 60kg
Gross weight of wires kit	55" = 30kg, 75" = 52kg
Packing size of wires kit (LxWxH)	55" = 1360 x 190 x 845 mm 75" = 1850 x 210 x 1110 mm

Product codes

Ultra-high brightness model


LT-Muro55-ID-UHB	55" Muro Ultra High Brightness Window Display
LT-Muro75-ID-UHB	75" Muro Ultra High Brightness Window Display
LT-Muro55-ID-UHB-PRT-Floor	55" Floor Stand for Muro Ultra High Brightness Window Display
LT-Muro75-ID-UHB-PRT-Floor	75" Floor Stand for Muro Ultra High Brightness Window Display
LT-Muro75-ID-UHB-PRT-CMA	75" Ceiling Mounting Arms for Muro Ultra High Brightness Window Display
LT-Muro55-ID-UHB-PRT-CMW	55" Wire Hanging for Muro Ultra High Brightness Window Display
LT-Muro75-ID-UHB-PRT-CMW	75" Wire Hanging for Muro Ultra High Brightness Window Display

High brightness 1000 cd/m2 model

LT-Muro75-ID-HB	75" Muro High Brightness Display
-----------------	---


Technical drawings - 55"

All measurements specified are in mm and inches.




Technical drawings - 55" portrait hanging configuration

All measurements specified are in mm and inches.



Technical drawings - 55" landscape hanging configuration

All measurements specified are in mm and inches.







All measurements specified are in mm and inches.




Technical drawings - 75"

All measurements specified are in mm and inches.




Technical drawings - 75" portrait hanging configuration

All measurements specified are in mm and inches.




Technical drawings -75” landscape hanging configuration

All measurements specified are in mm and inches.



Technical drawings -75” with mounting arms

All measurements specified are in mm and inches.



All measurements specified are in mm and inches.



More technology solutions from LamasaTech...


LCD video walls



Visitor sign-in kiosks



Cloud-based digital signage platform



For more information on our digital solutions
please visit www.lamasatech.com



Contact us

UK: +44 (0) 191 622 0725

US: +1 (805) 308-9623

hello@lamasatech.com

lamasatech.com