



Versi Indoor Kiosk

www.lamasatech.com

in f X



Versi floorstanding digital signage kiosk

Strong WiFi connectivity

The kiosk features 2 high gain antennas for a strong WiFi connection.

Tamper-proof

Security covers conceal all ports from tampering in public environments.

Single-sided or double-sided

Choose from a single-sided or double-sided kiosk to maximise audience

Choice of screen size

Select from a 43" or 55" screen to suit your requirements.

High brightness

With a rating of 700 nits brightness and anti-glare glass, your signage will be crystal clear even in bright locations such as retail stores with a lot of artificial lighting.

Ultra slim bezel

Measuring at just 13.6 mm, the frame around the screen is the slimmest on the market, ensuring no distractions from your content.

Touch or non-touch

Choose an interactive PCAP touch screen or a passive non-touch display for advertising and signage.

Plug and play

Play your content via USB or run your application from the integrated Android 11 SoC.

Auto power

In case of power cuts and outages the kiosk will automatically power on when the power is re-instated.

Connect your PC

For applications that require a Linux/Windows PC or a more powerful graphics card, connect your own PC with HDMI in. Internal brackets ensure the PC is neat and self-contained within the kiosk frame.

Concealed cabling

Power provision is neatly concealed running through the side of the kiosk or from below.



Increase footfall and customer engagement

The Versi Indoor kiosk is a sleek and slimline digital signage display that will boost your advertising reach, increase footfall and inform and engage your customers. It is ideal for a range of environments including retail stores, shopping malls, restaurants, universities and more.



Touch screen

The optional PCAP touch screen offers interactivity for your audience, perfect for information points. They'll be able to interact with your signage in a memorable way - a benefit which traditional print signage cannot offer you.




Plug and play

Run your content or application in minutes using the embedded Android SoC. Alternatively, connect your own PC which can be housed neatly within the kiosk frame. Power your PC from the built-in DC power port with no additional power provision required (subject to required power consumption).



Optional CMS

Control your digital signage remotely from any device with an internet connection by subscribing to our cloud-based digital signage system. Create new messages quickly with the drag-and-drop content builder and publish live on your kiosks in seconds.



Connect accessories

Boasting 6 USB ports, the Versi suits a range of requirements, allowing expansion with accessories connected via USB e.g. printer, payment terminal etc. Power a module from the built-in DC power port with no additional power provision required (subject to required power consumption).



Customise your kiosk

The Versi can be easily adapted for custom designs and projects including self-service kiosks with payment modules. Contact us to discuss your project.



Robust components

Manufactured to the highest standards with commercial-grade components, the Versi is designed to run seamlessly 24/7 with an average lifespan of over 50,000 hours.




3-year warranty

The Versi Indoor kiosk is provided with a standard 3-year warranty included for your peace of mind.


Choose from single-sided or double-sided

Single-sided



Choose from single-sided or double-sided

Double-sided




Pick the base that's right for you


Choose from a small or large base to suit your aesthetics and space.

The small base is a sleek design for freestanding advertising displays, which must be bolted to the floor for stability. The large base is recommended for touch screen applications for added stability or if you are unable to secure the kiosk to the floor.

Small base



Large base



All-in-one HD camera and sound bar

Complete your freestanding kiosk with our HD camera and sound bar, perfect for:

- Audience and engagement measurement
- Customer service and AI applications e.g. customer help points using direct call connections
- Entertainment applications e.g. selfie cam and interactive AR photo booths

Adapt the camera angle easily from the top of the kiosk using the adjustment wheels to set the best angle for your environment. The advanced facial recognition sensor ensures the user is in focus even when there is bad visibility conditions in the background, such as glare and backlight.

The advanced noise cancelling and echo cancelling microphones eliminate any background noise and maximise the voice level of the individual engaging with the kiosk. Two front-mounted speakers produce directional sound to the individual, allowing clear 2-way communication via the kiosk.

Product codes

Product Name	Product Code
[43"/55"] Versi Indoor Digital Signage Kiosk	LT-Versi[43/55]-ID-K
[43"/55"] Versi Indoor Double-Sided Digital Signage Kiosk	LT-Versi[43/55]-ID-K_TWIN
[43"/55"] Versi Indoor Digital Signage Kiosk Slim Base	LT-Versi[43/55]-ID-K-SBS
[43"/55"] Versi Indoor Double-Sided Digital Signage Kiosk Slim Base	LT-Versi[43/55]-ID-K_TWIN-SBS
[43"/55"] Versi Indoor Touch Screen Kiosk	LT-Versi[43-/55]ID-K-PT
[43"/55"] Versi Indoor Double-Sided Touch Screen Kiosk	LT-Versi[43/55]-ID-K_TWIN-PT
Versi Indoor Camera Box with One Set Of Cameras and Mics (Single Side Acrylic)	LT-Versi-[43/55]-PRT-CAM
Versi Indoor Camera Box with 2 Sets Of Cameras and Mics (Dual Side Acrylic)	LT-Versi-[43/55]-PRT-DUALCAM
Versi Indoor Mini PC Holder	LT-Versi-PRT-PCM

Please omit the size not required and brackets to use these codes.

Specifications

Model	Versi Indoor Kiosk	
Panel	Screen size	43"or 55"
	Display resolution	1920x1080
	Viewing angles	178°V / 178 °H
	Colour depth	16.7M
	Contrast ratio	1200:1
	Brightness	700 cd/m²
	Response time	6ms
	Lifespan	>50,000 hours
	Display scale	16:9
	Operation	24/7
	Touch screen	Optional - 10 point PCAP touch
Built-in player	CPU	RK3568 Quad-core, up to 2.0GHz
	RAM	2G DDR3
	ROM	16G
	System version	Android 11
	Storage expansion	External TF memory card (option)
	Media format	Video-MP4, MPG, AVI, RM, RMVB, TS Image-BPM, JPEG, PNG, GIF

Power	Display format	Subject to software capability: Screen rotation, double screen codisplay, double screen differential display, picture-in-picture display
	Input voltage	AC 110V ~ 240V, 50/60Hz
	Power consumption	≤60W ~ 95W
	Operating temperature	0°C ~ 50°C / 32°F ~ 122°F
	Storage temperature	-20°C ~ 60°C / -4°F ~ 140°F
	Operation humidity	10 ~ 90%
	Storage humidity	10 ~ 90%
Connections	RJ45	1
	HDMI input	1
	USB touch	1
	USB 2.0	6
Mechanical spec	Dimension (mm)	43" - 1800 x 556.4 x 76.2 55" - 1900 x 707.4 x 76.2 See technical drawings below
	Protection glass	Toughened glass
	Shell colour	Gloss black
	Gross weight	43" Single-sided with large base - 54kg 55" Single-sided with large base - 70kg 43" Double-sided with large base - 62kg 55" Double-sided with large base - 80kg 43" Single-sided with small base - 52kg 55" Single-sided with small base - 67kg 43" Double-sided with small base - 59kg 55" Double-sided with small base - 77kg

Net weight

43" Single-sided with large base - 42kg
55" Single-sided with large base - 55.5kg
43" Double-sided with large base - 50kg
55" Double-sided with large base - 65.5kg
43" Single-sided with small base - 40kg
55" Single-sided with small base - 53kg
43" Double-sided with small base - 48kg
55" Double-sided with small base - 63kg

Customisation


Options available

Versi HD camera and sound bar
Versi PC holder

The Versi can be easily adapted for custom designs and projects including self-service kiosks with payment modules. Please get in touch to discuss your requirements.


Technical drawings - 43" Versi Indoor Kiosk

All measurements specified are in mm and inches.




Technical drawings - 43" Versi Double-Sided Kiosk

All measurements specified are in mm and inches.




Technical drawings - 43" Versi Indoor Double-Sided Kiosk with Camera and Sound Bar

All measurements specified are in mm and inches.




Technical drawings - 55" Versi Indoor Kiosk

All measurements specified are in mm and inches.




Technical drawings - 55" Versi Indoor Double-Sided Kiosk

All measurements specified are in mm and inches.




Technical drawings - 55" Versi Indoor Double-Sided Kiosk with Camera and Sound Bar

All measurements specified are in mm and inches.



Connecting your own PC



Versi Indoor PC Holder

Dimensions (mm)	When expanded	122x121x51
	When contracted	122x121x47
Maximum size of PC which will fit inside the holder		119x121x48

More technology solutions from LamasaTech...


LCD and LED video walls



Digital window displays



Digital signage platform



For more information on our digital solutions please visit www.lamasatech.com



Contact us

UK: +44 (0) 191 622 0725

US: +1 (805) 308-9623

hello@lomasatech.com

lomasatech.com