


### Versi Indoor Kiosk

Sleek and versatile freestanding digital display in non-touch for advertising or PCAP touch for interactive applications.

www.lamasatech.com

in f 💆



### Versi floorstanding digital signage kiosk

#### **Strong WiFi connectivity**

The kiosk features 2 high gain antennas for a strong WiFi connection.

#### Choice of screen size

Select from a 43" or 55" screen to suit your requirements.

#### Single-sided or double-sided-

Choose from a single-sided or double-sided kiosk to maximise your audience.

# LIMITED EDITION

MARCELLA

\$1,249.00

www.astridhomeware.com

ACCENT TABLE

Measuring at just 13.6 mm, the frame around the screen is the slimmest on the market, ensuring no distractions from your content.

Ultra slim bezel

#### 700 nits high brightness

With a rating of 700 nits brightness your signage will be crystal clear even in bright locations such as retail stores with a lot of artificial lighting.

#### **Touch or non-touch**

Choose an interactive PCAP touch screen or a passive non-touch display for advertising and signage.

# Anti-glare toughened glass

The toughened glass is resistant to glare from natural and artificial lighting and is designed to withstand damage in public environments.

#### **Auto power**

In case of power cuts and utages the kiosk will automatically power on when the power is re-instated.

#### Plug and play

Play your content via USB or run your application from the integrated Android 11 SoC.

#### Tamper-proof design

All ports are concealed to prevent from tampering in public environments.

#### **Connect your PC**

For applications that require a Linux/Windows PC or a more powerful graphics card, connect your own PC with HDMI in. Internal brackets ensure the PC is neat and self-contained within the kiosk frame.

#### **Concealed cabling**

Power provision is neatly concealed running through the side of the kiosk or from below.

### Increase footfall and customer engagement

The Versi Indoor kiosk is a sleek and slimline digital signage display that will boost your advertising reach, increase footfall and inform and engage your customers. It is ideal for a range of environments including retail stores, shopping malls, restaurants, universities and more.



Touch screen

The PCAP touch screen model offers interactivity for your audience, perfect for information points. They'll be able to interact with your signage in a memorable way - a benefit which traditional print signage cannot offer you.



Plug and play

Run your content or application in minutes using the embedded Android SoC. Alternatively, connect your own PC which can be housed neatly within the kiosk frame. Power your PC from the built-in DC power port with no additional power provision required (subject to required power consumption).



**Optional CMS** 

Control your digital signage remotely from any device with an internet connection by subscribing to our cloud-based digital signage system. Create new messages quickly with the drag-and-drop content builder and publish live on your kiosks in seconds.



#### Connect accessories

Boasting 6 USB ports, the Versi suits a range of requirements, allowing expansion with accesories e.g. printer, payment terminal etc. Power your accessory from the built-in DC power port with no additional power provision required (subject to required power consumption).



#### Customise your kiosk

The Versi can be easily adapted for custom designs and projects including self-service kiosks with payment modules. Contact us to discuss your project.



Robust components

Manufactured to the highest standards with commercial-grade components, the Versi is designed to run seamlessly 24/7 with an average lifespan of over 50,000 hours.



The Versi Indoor kiosk is provided with a standard 3-year warranty included for your peace of mind.

# Choose from single-sided or double-sided

# Single-sided





# Choose from single-sided or double-sided

### **Double-sided**





## Pick the base that's right for you

Choose from a small or large base to suit your aesthetics and space.

The small base is a sleek design for freestanding advertising displays, which must be bolted to the floor for stabillity. The large base is recommended for touch screen applications for added stability or if you are unable to secure the kiosk to the floor.

### **Small base**



### Large base



### All-in-one HD camera and sound bar

Complete your freestanding kiosk with our HD camera and sound bar, perfect for:

- Audience and engagement measurement
- Customer service and AI applications e.g. customer help points using direct call connections
- Entertainment applications e.g. selfie cam and interactive AR photo booths

Adapt the camera angle easily from the top of the kiosk using the adjustment wheels to set the best angle for your environment. The advanced facial recognition sensor ensures the user is in focus even when there is bad visibility conditions in the background, such as glare and backlight.

The advanced noise cancelling and echo cancelling microphones eliminate any background noise and maximise the voice level of the individual engaging with the kiosk. Two front-mounted speakers produce directional sound to the individual, allowing clear 2-way communication via the kiosk.

# **Specifications**

Model	Versi Indoor Kiosk	
Panel	Screen size	43"or 55"
	Display resolution	1920x1080
	Viewing angles	178°V / 178 °H
	Colour depth	16.7M
	Contrast ratio	1200:1
	Brightness	700 cd/m <sup>2</sup>
	Response time	6ms
	Lifespan	>50,000 hours
	Display scale	16:9
	Operation	24/7
	Touch screen	Optional - 10 point PCAP touch
Built-in player	СРИ	RK3568 Quad-core, up to 2.0GHz
	RAM	2G DDR3
	ROM	16G
	System version	Android 11
	Storage expansion	External TF memory card (option)
	Media format	Video-MP4, MPG, AVI, RM, RMVB, TS Image-BPM, JPEG, PNG, GIF

	Display format	Subject to software capability: Screen rotation, double screen codisplay, double screen differential display, picture-in-picture display
Power	Input voltage	AC 110V ~ 240V, 50/60Hz
	Power consumption	≤60W ~ 95W
	Operating temperature	0°C ~ 50°C / 32°F ~ 122°F
	Storage temperature	-20°C ~ 60°C / -4°F ~ 140°F
	Operation humidity	10 ~ 90%
	Storage humidity	10 ~ 90%
Connections	RJ45	1
	HDMI input	1
	USB touch	1
	USB 2.0	6
Mechanical spec	Dimension (mm)	43" - 1800 x 556.4 x 76.2 55" - 1900 x 707.4 x 76.2 See technical drawings below
	Protection glass	Toughened glass
	Shell colour	Gloss black
	Speakers	2 x 5W
Customisation	Options available	Versi HD camera and sound bar Versi PC holder
		The Versi can be easily adapted for custom designs and projects including self-service kiosks with payment modules. Please get in touch to discuss your requirements.

### **Product codes**

Product Name	Product Code
[43"/55"] Versi Indoor Digital Signage Kiosk	LT-Versi[43/55]-ID-K
[43"/55"] Versi Indoor Double-Sided Digital Signage Kiosk	LT-Versi[43/55]-ID-K_TWIN
[43"/55"] Versi Indoor Digital Signage Kiosk Slim Base	LT-Versi[43/55]-ID-K-SBS
[43"/55"] Versi Indoor Double-Sided Digital Signage Kiosk Slim Base	LT-Versi[43/55]-ID-K_TWIN-SBS
[43"/55"] Versi Indoor Touch Screen Kiosk	LT-Versi[43-/55]ID-K-PT
[43"/55"] Versi Indoor Double-Sided Touch Screen Kiosk	LT-Versi[43/55]-ID-K_TWIN-PT
Versi Indoor Camera Box with One Set Of Cameras and Mics (Single Side Acrylic)	LT-Versi-[43/55]-PRT-CAM
Versi Indoor Camera Box with 2 Sets Of Cameras and Mics (Dual Side Acrylic)	LT-Versi-[43/55]-PRT-DUALCAM
Versi Indoor Mini PC Holder	LT-Versi-PRT-PCM

Please omit the size not required and brackets to use these codes.

## The Versi indoor range

The Versi Indoor is a modular digital signage display available in a range of configurations to suit any indoor screen requirement, whether you need a wall-mounted, ceiling-mounted or freestanding display.

The freestanding models are available as single-sided or double-sided displays. All configurations, with the expection of the ceiling mounted display, are available in passive non-touch or PCAP touch screen.

All models are available in 43" or 55" sizes, with the addition of 32" for the wall-mounted models.



Digital display



Freestanding totem





Wall poster




Ceiling mount


# Technical drawings - 43" Versi Indoor Kiosk










# Technical drawings - 43" Versi Double-Sided













# Technical drawings - 43" Versi Indoor Double-Sided Kiosk with Camera & Sound Bar










# Technical drawings - 55" Versi Indoor Kiosk







# Technical drawings - 55" Versi Indoor Double-Sided Kiosk





# Technical drawings - 55" Versi Indoor Double-Sided Kiosk with Camera & Sound Bar






## More technology solutions from LamasaTech...

### LCD and LED video walls



### Digital window displays



### Digital signage platform



For more information on our digital solutions please visit <u>www.lamasatech.com</u>



### **Contact us**

UK: +44 (0) 191 341 0016

US: +1 (805) 308-9623

hello@lamasatech.com

lamasatech.com