



43" Muro Double-Sided Hanging Digital Window Displays

www.lamasatech.com

in f 



Overview

Sleek integrated ceiling mount

The integrated mounting mechanism ensures your display hangs securely without interrupting the sophisticated design.

Built-in media player

Run your signage application using the built-in Android player, or upgrade to an Intel player (Windows/Linux)

43" screen

Full HD resolution display in 43" dimension.

Double-sided display

Maximise your advertising by reaching customers both outside and inside your store

High brightness

Commercial-grade high brightness 700cd/m² panels for the outward-facing display ensure content is readable in sunlight with a 500cd/m² inward-facing display for indoors.

Slim 2.5cm design

With a total thickness of only 2.5 cm, the display has a sleek and slim profile comparable with a single-sided screen



Digital signage that doesn't sleep

The Muro Window is a double-sided hanging window display designed for digital signage in a range of environments including retail stores, shopping malls, estate agents, showrooms, cafes, restaurants and hotels.

Built to run 24/7, these displays will increase your advertising reach at all times of the day. During opening hours you will have double the impact, increasing footfall by reaching those outside your store and driving sales and engagement with customers inside your store. With the Muro Window your digital signage does not sleep - it will continue to inform and influence passerbys when your store is closed.



High resolution

The full HD resolution display with high contrast and a 24-bit true colour depth delivers crystal clear image and video quality.



Plug and play

Connect power and download your content via USB to get your display up and running quickly. Upgrade to our cloud-based digital signage system to manage your displays remotely and update content in real-time.



3-year warranty

The Muro Window is provided with a standard 3-year warranty included for your peace of mind.



Built to last

Manufactured to the highest standards with commercial-grade components, the displays are designed to run 24/7 with a long lifespan of over 50,000 continuous hours.



Cost-effective

A cost-effective alternative to separate indoor and outdoor displays to increase the impact of your advertising campaigns.



Specifications

Model	Muro Window Hanging Double-Sided Display	
Display	Screen size	43 inch display - 2 x LCD panels
	Display resolution	1920x1080
	Viewing angles	175° V / 175° H
	Colour depth	16.7M
	Contrast ratio	1300:1
	Brightness	700 cd/m ² - outward facing display 500 cd/m ² - inward facing display
	Display scale	16:9
	Shell colour	Charcoal grey Custom colours available for bulk orders
	Installation method	Integrated ceiling mount
	Built-in player	Built-in player
RAM		2G DDR3
ROM		8G
System version		Android 7.1
Chipset		Quad-core, up to 1.8GHz
Storage expansion		External TF memory card up to 64G
Customisation		Upgrade to Intel player (Windows/Li-
Media format		Video - MP4, MPG, AVI, RM, RMVB, TS Image - BPM, JPEG, PNG, GIF

Display format

The OS supports the following display formats, subject to software capability:
Screen rotation, double screen codisplay, double screen differential display, picture-in-picture display

Functions

Timing clock

On/off timer function

Interface

USB x2, TF x1, RJ45, Wi-Fi (2.4G), SD card (64G)

Outputs

Display signal x2, IR remote receiver x1, 10W stereo x2

Power

Input voltage

AC 110V ~ 240V, 50/60HZ

Power consumption

≤60W, ≤1W standby

Operating temperature

0°C ~ 40°C

Storage temperature

-20°C ~ 60°C

Operation humidity

10 ~ 90%

Storage humidity

10 ~ 90%


Product codes

43" Muro Double-Sided Digital
Window Display

LT-MuroDW43_AND_ID - Custom

Technical drawings

All measurements specified are in mm.



More technology solutions from LamasaTech...


LCD video walls



Visitor sign-in kiosks



Cloud-based digital signage platform



For more information on our digital solutions please visit www.lamasatech.com



Contact us

UK: +44 (0) 191 341 0016

US: +1 (805) 308-9623

hello@lomasatech.com

lomasatech.com